| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|---|---|---------------------|---------|------------------|
| L5 | 12439 | reader with ((storage storing memory) and (command\$4 control\$4)) and (@ad<"20021121") @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:24 |
| L6 | 5027 | reader near6 ((storage storing memory) and (command\$4 control\$4)) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:24 |
| L7 | 2108 | reader near3 ((storage storing memory) and (command\$4 control\$4)) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:24 |
| L8 | 193 | reader near3 ((storage storing memory) and (command\$4 control\$4)) near6 (field adj device device fieldbus) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:25 |
| L9 | 1 | reader near3 ((storage storing memory) and (command\$4 control\$4)) near6 (plant facility building) and (sensor actuator field near device) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:26 |
| L10 | 2 | reader near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:27 |
| L11 | 3 | reader near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:28 |
| L12 | 11 | reader near6 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:34 |
| L13 | 429 | reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:34 |

| | | | | | , | |
|-----|------|--|---|----|----|------------------|
| L14 | 352 | reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:45 |
| L15 | 60 | "340"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:08 |
| L16 | 21 | "700"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:56 |
| L17 | 15 | "709"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:55 |
| L18 | 7 | "710"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:48 |
| L19 | 5 | "713"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:47 |
| L20 | 0 | "715"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:46 |
| L21 | . 13 | "345"/\$ and reader near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 10:54 |

| | | | • | | | |
|-----|-----|--|---|----|----|------------------|
| L22 | 504 | "340"/\$ and (personality module) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:08 |
| L23 | 231 | "700"/\$ and (personality module) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:10 |
| L24 | 826 | "700"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:11 |
| L25 | 245 | "709"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:10 |
| L26 | 142 | "710"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:10 |
| L27 | 119 | "713"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:10 |
| L28 | 23 | "715"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:10 |
| L29 | 399 | "345"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:10 |

| L30 | 1960 | "340"/\$ and (input output i/o) near6 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:10 |
|-----|------|---|---|----|----|------------------|
| L31 | 571 | "700"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:12 |
| L32 | 164 | "709"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:11 |
| L33 | 99 | "710"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:11 |
| L34 | 90 | "713"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:11 |
| L35 | 14 | "715"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:11 |
| L36 | 258 | "345"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:11 |
| L37 | 1267 | "340"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) and (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:11 |

| | | | - | | | |
|-----|-----|---|---|----|----|------------------|
| L38 | 68 | "700"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:12 |
| L39 | 17 | "709"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:12 |
| L40 | 8 | "710"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:12 |
| L41 | 7 | "713"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:12 |
| L42 | 1 | "715"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:30 |
| L43 | 11 | "345"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:12 |
| L44 | 122 | "340"/\$ and (input output i/o) near3 ((storage storing memory command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:30 |
| L45 | 2 | "340"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:32 |

| L46 | 0 | "345"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:30 |
|-----|---|---|---|------|----|------------------|
| L47 | 0 | "715"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:30 |
| L48 | 0 | "713"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:30 |
| L49 | 0 | "710"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:30 |
| L50 | 0 | "709"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:30 |
| L51 | 1 | "700"/\$ and (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/07/13 11:32 |
| L52 | 8 | (input output i/o) near3 ((storage storing memory) and (command\$4 control\$4)) near6 (sensor actuator field near device) same (plant facility building) and (@ad<"20021121" @rlad<"20021121") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/13 11:33 |

| L53 | 33 | (input output i/o) near6 ((storage | US-PGPUB; | OR | ON | 2006/07/13 11:35 |
|-----|----|---|-----------|----|----|------------------|
| | | storing memory) and (command\$4 | USPAT; | | | |
| | | control\$4)) near6 (sensor actuator | EPO; JPO; | | | |
| | | field near device) same (plant facility | DERWENT; | | | |
| | | building) and (@ad<"20021121" | IBM_TDB | | | |
| | | @rlad<"20021121") | | | | |